


## Thermax® Temperature Indicators

|          |    |     |     |     |     |     |     |     |     |     |     |
|----------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <b>A</b> | °F | 99  | 104 | 111 | 115 | 120 | 129 | 140 | 144 | 149 | 160 |
|          | °C | 37  | 40  | 44  | 46  | 49  | 54  | 60  | 62  | 65  | 71  |
| <b>B</b> | °F | 171 | 180 | 190 | 199 | 210 | 219 | 230 | 241 | 250 | 261 |
|          | °C | 77  | 82  | 88  | 93  | 99  | 104 | 110 | 116 | 121 | 127 |
| <b>C</b> | °F | 270 | 280 | 289 | 300 | 309 | 320 | 331 | 340 | 351 | 360 |
|          | °C | 132 | 138 | 143 | 149 | 154 | 160 | 166 | 171 | 177 | 182 |
| <b>D</b> | °F | 370 | 379 | 390 | 399 | 410 | 421 | 435 | 450 | 466 | 480 |
|          | °C | 188 | 193 | 199 | 204 | 210 | 216 | 224 | 232 | 241 | 249 |



### 10 LEVEL SPECIFICATIONS


Size: 2.00" x 0.7" (51x18mm)

Scale: °F and °C

Type: Vertical, Self Adhesive

Units/Packs: 10

|   |    |     |     |     |     |     |     |     |     |     |
|---|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| A | °F | 99  | 104 | 109 | 115 | 120 | 129 | 140 | 149 |     |
|   | °C | 37  | 40  | 43  | 46  | 49  | 54  | 60  | 65  |     |
| B | °F | 160 | 171 | 180 | 190 | 199 | 210 | 219 | 230 |     |
|   | °C | 71  | 77  | 82  | 88  | 93  | 99  | 104 | 110 |     |
| C | °F | 241 | 250 | 261 | 270 | 280 | 289 | 300 | 309 |     |
|   | °C | 116 | 121 | 127 | 132 | 138 | 143 | 149 | 154 |     |
| D | °F | 320 | 331 | 340 | 351 | 360 | 370 | 379 | 390 |     |
|   | °C | 160 | 166 | 171 | 177 | 182 | 188 | 193 | 199 |     |
| E | °F | 399 | 410 | 421 | 435 | 450 | 466 | 480 | 489 | 500 |
|   | °C | 204 | 210 | 216 | 224 | 232 | 241 | 249 | 254 | 260 |



### 8 LEVEL SPECIFICATIONS


Size: 2.00" x 0.7" (51x18mm)

Scale: °F and °C

Type: Vertical, Self Adhesive

Units/Packs: 10

|          |    |     |     |     |     |     |     |
|----------|----|-----|-----|-----|-----|-----|-----|
| <b>1</b> | °F | 84  | 91  | 93  | 99  | 104 | 108 |
|          | °C | 29  | 33  | 34  | 37  | 40  | 42  |
| <b>2</b> | °F | 111 | 115 | 120 | 129 | 140 | 144 |
|          | °C | 44  | 46  | 49  | 54  | 60  | 62  |
| <b>3</b> | °F | 149 | 160 | 171 | 180 | 190 | 199 |
|          | °C | 65  | 71  | 77  | 82  | 88  | 93  |
| <b>4</b> | °F | 210 | 219 | 230 | 241 | 250 | 261 |
|          | °C | 99  | 104 | 110 | 116 | 121 | 127 |
| <b>5</b> | °F | 270 | 280 | 289 | 300 | 309 | 320 |
|          | °C | 132 | 138 | 143 | 149 | 154 | 160 |
| <b>6</b> | °F | 331 | 340 | 351 | 360 | 370 | 379 |
|          | °C | 166 | 171 | 177 | 182 | 188 | 193 |
| <b>7</b> | °F | 390 | 399 | 410 | 421 | 435 | 450 |
|          | °C | 199 | 204 | 210 | 216 | 224 | 232 |
| <b>8</b> | °F | 466 | 480 | 489 | 500 | 536 | 554 |
|          | °C | 241 | 249 | 254 | 260 | 280 | 290 |



### THERMAX LEVEL 6 MINI STRIPS

Size: .47" x 1.26" (12x32mm)

Scale: °F and °C

Type: Horizontal, Self Adhesive

Units/Packs: 10



**幸託有限公司**


**XIN TOP CORPORATION**

**TEL : (02)2598-1199 E-mail : info@xintop.com**

**FAX : (02)2596-2331 Website : www.xintop.com**

## Thermax® Temperature Indicators

|   |    |     |     |     |     |     |
|---|----|-----|-----|-----|-----|-----|
| 1 | °F | 105 | 110 | 115 | 120 | 130 |
|   | °C | 40  | 43  | 46  | 49  | 54  |
| 2 | °F | 140 | 150 | 160 | 170 | 180 |
|   | °C | 60  | 65  | 71  | 77  | 82  |
| 3 | °F | 190 | 200 | 210 | 220 | 230 |
|   | °C | 88  | 93  | 99  | 104 | 110 |
| 4 | °F | 240 | 250 | 260 | 270 | 280 |
|   | °C | 116 | 121 | 127 | 132 | 138 |
| 5 | °F | 290 | 300 | 310 | 320 | 330 |
|   | °C | 143 | 149 | 154 | 160 | 166 |
| 6 | °F | 340 | 350 | 360 | 370 | 380 |
|   | °C | 171 | 177 | 182 | 188 | 193 |
| 7 | °F | 390 | 400 | 410 | 420 | 435 |
|   | °C | 199 | 204 | 210 | 216 | 224 |
| 8 | °F | 450 | 465 | 480 | 490 | 500 |
|   | °C | 232 | 241 | 249 | 254 | 260 |



### 5 LEVEL

#### CLOCK SPECIFICATIONS


Size: 0.55" Dia. (14mm)

Type: Circular, Self Adhesive

Scale: °F and °C

Units/Packs: 10

|   |    |     |     |     |     |     |
|---|----|-----|-----|-----|-----|-----|
| A | °F | 99  | 104 | 109 | 115 | 120 |
|   | °C | 37  | 40  | 43  | 46  | 49  |
| B | °F | 120 | 129 | 140 | 149 | 160 |
|   | °C | 49  | 54  | 60  | 65  | 71  |
| C | °F | 171 | 180 | 190 | 199 | 210 |
|   | °C | 77  | 82  | 88  | 93  | 99  |
| D | °F | 219 | 230 | 241 | 250 | 261 |
|   | °C | 104 | 110 | 116 | 121 | 127 |
| E | °F | 270 | 280 | 289 | 300 | 309 |
|   | °C | 132 | 138 | 143 | 149 | 154 |
| F | °F | 320 | 331 | 340 | 351 | 360 |
|   | °C | 160 | 166 | 171 | 177 | 182 |
| G | °F | 370 | 379 | 390 | 399 | 410 |
|   | °C | 188 | 193 | 199 | 204 | 210 |
| H | °F | 421 | 435 | 450 | 466 | 480 |
|   | °C | 216 | 224 | 232 | 241 | 249 |
| I | °F | 480 | 489 | 500 | 536 | 554 |
|   | °C | 249 | 254 | 260 | 280 | 290 |



### 5 LEVEL SPECIFICATIONS

Size: 2.00" x 0.7" (51x18mm)


Scale: °F and °C

Type: Vertical, Self Adhesive

Units/Packs: 10

## Thermax® Temperature Indicators

|   |    |     |     |     |     |
|---|----|-----|-----|-----|-----|
| A | °F | 99  | 111 | 120 | 129 |
|   | °C | 37  | 44  | 49  | 54  |
| D | °F | 219 | 230 | 241 | 250 |
|   | °C | 104 | 110 | 116 | 121 |
| E | °F | 261 | 270 | 280 | 289 |
|   | °C | 127 | 132 | 138 | 143 |
| F | °F | 300 | 309 | 320 | 331 |
|   | °C | 149 | 154 | 160 | 166 |



### 4 LEVEL SPECIFICATIONS

Size: 0.91" x 1.77" (23x45mm)

Type: Horizontal, Self Adhesive

Scale: °F and °C

Units/Packs: 10

|   |    |     |     |     |     |
|---|----|-----|-----|-----|-----|
| 2 | °F | 120 | 130 | 140 | 150 |
|   | °C | 49  | 54  | 60  | 65  |
| 4 | °F | 200 | 210 | 220 | 230 |
|   | °C | 93  | 99  | 104 | 110 |
| 5 | °F | 240 | 250 | 260 | 270 |
|   | °C | 116 | 121 | 127 | 132 |
| 7 | °F | 320 | 330 | 340 | 350 |
|   | °C | 160 | 166 | 171 | 177 |
| 8 | °F | 360 | 370 | 380 | 390 |
|   | °C | 182 | 188 | 193 | 199 |
| 9 | °F | 400 | 410 | 420 | 435 |
|   | °C | 204 | 210 | 216 | 224 |



### 4 LEVEL MICRO SPECIFICATIONS

Size: 0.15" x 0.43" (4x11mm)

Type: Horizontal, Self Adhesive

Scale: °F or °C

Units/Packs: 10

|    |     |     |     |     |     |     |     |     |
|----|-----|-----|-----|-----|-----|-----|-----|-----|
| °F | 93  | 99  | 104 | 109 | 115 | 120 | 129 | 140 |
| °C | 34  | 37  | 40  | 43  | 46  | 49  | 54  | 60  |
| °F | 149 | 160 | 171 | 180 | 199 | 219 | 241 | 261 |
| °C | 65  | 71  | 77  | 82  | 93  | 104 | 116 | 127 |
| °F | 280 | 300 | 320 | 340 | 360 | 380 | 399 | 421 |
| °C | 138 | 149 | 160 | 171 | 182 | 193 | 204 | 216 |
| °F | 450 | 480 | 500 | 536 | 554 |     |     |     |
| °C | 232 | 249 | 260 | 280 | 290 |     |     |     |



### ENCAPSULATED SPECIFICATIONS

Size: 0.47" x 0.51" (12x13mm)

Scale: °F and °C

Units/Packs: 50

Type: Single temperature indicator shows when maximum temperature has been achieved. Self adhesive.